



File was found and ready to download!

UPDATED 14 HOURS AGO

Fastest Source: [usenet.nl](#)

Click the **download button** and select one of the found **cloud sources**.

6.4



2865 VIEWS

Download 

 SECURE SCANNED

You need to [log in](#) before you can post comments.



Navigation



Registration



FAQ

[Histopathologic Techniques Gregorios Pdf Free Download100](#)

**Table 1. Main Clinical Trials about PARPis for Ovarian Cancer.**

Study Design	N	Eligibility	Experimental Arm	Results	Identifier	Reference
Prospective, nonrandomized phase II study	193	Platinum-resistant gBRCAm ovarian cancer	Olaparib monotherapy	Tumor response rate: 31.1%, Stable disease $\geq$ 8 weeks: 40%.	NCT01078662	(Kaufman et al., 2015)
Randomized, double-blind, phase II study	265	Platinum-sensitive, relapsed HGSOC	I: olaparib capsule maintenance II: placebo maintenance	Median PFS: Overall patients: 8.4 vs. 4.8 months; BRCAm patients: 11.2 vs. 4.3 months.  Median OS: Overall patients: 29.8 vs. 27.8 months, HR 0.73; BRCAm patients: 34.9 vs. 30.2 months, HR 0.62.	NCT00753545	(Lederman et al., 2012; Ledermann et al., 2014; Ledermann et al., 2016b)
Randomized, double-blind, placebo-controlled, phase III study	293	Platinum-sensitive, relapsed HGSOC with BRCA1/2m	I: olaparib tablet maintenance II: placebo maintenance	Median PFS: 19.1 vs. 5.5 months.	NCT01874353	(Pujade-Lauraine et al., 2017)
Randomized, double-blind, phase III trial	553	Platinum-sensitive, relapsed HGSOC	I: niraparib maintenance II: placebo maintenance	Median PFS: gBRCAm cohort: 21.0 vs. 5.5 months, HR 0.27; Non-gBRCAm cohort with HRD-positive: 12.9 vs. 3.8 months, HR 0.38; Non-gBRCAm cohort with HRD-negative cohort: 6.9 vs. 3.8 months, HR 0.58.	NCT01847274	(Mirza et al., 2016)
Randomized, double-blind, placebo-controlled, phase III trial	564	Platinum-sensitive, relapsed ovarian cancer	I: rucaparib maintenance II: placebo maintenance	Median PFS: gBRCAm cohort: 16.6 vs. 5.4 months, HR 0.23; HRD-positive cohort: 13.6 vs. 5.4 months, HR 0.32; Intention-to-treat cohort: 10.8 vs. 5.4 months, HR 0.36.	NCT01968213	(Coleman et al., 2017b)
Randomized, open-label, phase II study	162	Platinum-sensitive, relapsed HGSOC	I: olaparib+paclitaxel+carboplatin+olaparib maintenance II: paclitaxel+carboplatin	Median PFS: Overall patients: 12.2 vs. 9.6 months, HR 0.51; gBRCAm patients: NR vs. 9.7, HR 0.21.  Median OS: Overall patients: 33.8 vs. 37.6; gBRCAm: NR vs. 39.2 months.	NCT01081951	(Oza et al., 2015a)
Randomized, open-label, phase II study	90	Platinum-sensitive, relapsed ovarian cancer	I: olaparib+cediranib II: olaparib monotherapy	Median PFS: Overall patients: 17.7 vs. 9.0 months, HR 0.42; gBRCAwt/u patients: 16.5 vs. 5.7 months; gBRCAm patients: 19.4 vs. 16.5 months.	NCT01116648	(Liu et al., 2014)

*Abbreviations:* gBRCAm, germline BRCA mutation; HGSOC, high grade serous ovarian cancer; PFS, progression-free survival; OS, overall survival; HR, hazard ratio; HRD, homologous recombination deficiency; NR, not reported; gBRCAwt/u, germline BRCA wild-type/unknown.



File was found and ready to download!

UPDATED 14 HOUES AGO

Fastest Source: [usenet.nl](#)

Click the **download button** and select one of the found **cloud sources**.

6.4



2865 VIEWS

Download 

 SECURE SCANNED

You need to [log in](#) before you can post comments.



Navigation



Registration



FAQ

---

6774ea4ac9

[vinnaihandi varuvaya video songs 720p](#)

[Jung Und Frei Magazine Pdf Downl](#)

[Raktdhar Movie In Hindi Download 720p](#)

[Oscar Schmidt Guitar Serial Number Lookup](#)

[Silhouette Studio Business Edition Keygen Torrent](#)

[Tenchu San Portable English Patch](#)

[Trishna hindi dubbed mp4 movie download](#)

[The Man Who Knew Infinity \(English\) Hd Mp4 Movies In Hindi Dubbed Free Download](#)

[Mcgraw Hill Connect Accounting Answers Ch 9 Homework.zip](#)

[Jay-Z and Linkin Park, Collision Course full album zip](#)